

के लिए प्रतीक्षा सूची में दर्ज डाक कर्मचारियों की संख्या और उनका प्रतिशत इस प्रकार है:-

टाइप	प्रतीक्षा सूची में दर्ज कर्मचारी	प्रतिशत
I	247	91.48
II	696	87.33
III	314	85.09

(ख) मकानों के आवांटन के लिए इच्छुक जरूरतमंद कर्मचारियों से प्रत्येक वर्ष नए सिरे से आवेदन मंगाए जाने अपेक्षित हैं। इस प्रकार उपर्युक्त (क) में दर्शाए गए कर्माजारी अप्रैल, 1996 से आवांटन की प्रतीक्षा में हैं।

वर्ष	टाइप-I	टाइप-II	टाइप-III
1992-93	शून्य	1.56 प्रतिशत	शून्य
1993-94	18.75 प्रतिशत	7.58 प्रतिशत	शून्य
1994-95	21.43 प्रतिशत	8.86 प्रतिशत	4.88 प्रतिशत
1995-96	14.28 प्रतिशत	5.17 प्रतिशत	3.33 प्रतिशत
1996-97	4.00 प्रतिशत	शून्य	शून्य

दूरसंचार विभाग

(क) से(ग) जानकारी एकत्र की जा रही है और सभापटल पर रख दी जाएगी।

Frequent break down of telephones in Sansad Vihar under Saraswati Vihar Exchange

3366. SHRI SOLIPETA RAMA-CHANDRA REDDY: Will the Minister of COMMUNICATIONS be pleased to state:

(a) whether the telephones in the Sansad Vihar, Parijat areas of Pitam Pura, North-West Delhi under Saraswati Vihar Exchange were remained completely disconnected by frequent breakdowns during last two months;

(b) the measures taken to boost the Working telephones of Saraswati Vihar, where inspite of new exchange, working is not satisfactory; and

(c) the action proposed to note down complaints physically in that exchange as telephones 2198 is never available for

that exchange to lodge complaints about out of order telephones?

THE MINISTER OF COMMUNICATIONS (SHRI BEN I PRASAD

VERMA): (a) No, Sir. The services to some of the subscribers were disrupted for a short duration on two occasions viz. 14.3.1997 and 2.4.1997 because of the cable thefts. However, the services were restored on 17.3.97 and 4.4.97 respectively.

(b) There is no problem in the working of telephones from the new telephone exchange. However, patrolling has been intensified and a close liaison is being maintained with the police authorities to avoid such occurrence in future.

(c) About 200 complaints are registered daily through 198/2198. In addition, the complaints are also being recorded manually at the exchange gate.