

**errnptioa and inefficiency in ofec-ittm  
wing in OPWD**

7245. SHIR SURINDER SINGH  
c INGLA:

DR. SHRKANT RAM-  
CHANDRA JICKAR:

Will the Minister Of URBAN DE-  
VELOPMENT be pleased be state;

(a) whether it is a fact that there is large  
scale corruption, inefficiency and negligence  
of duty on the part of dealing with the MP's  
flats and houses in South Avenue, Teen  
Murti Marg, Willingdon Crescent Teen  
Murti Lane and the adjoining areas; add

\$») what action is being contemplated  
against the errant employees?

THE MINISTER OF STATE IN THE  
MINISTRY OF URBAN DEVELOPMENT  
(SHRI P. K. THUN-GON): (a) No such  
case has come to the notice of the  
Government.

(b) Does not arise in view of the reply to  
(a) above.

**Delinking flats/bunglows from the MP's  
Pool**

7246. SHRI VIRBEN J. SHAH:  
Will the Minister of URBAN DEV-  
ELOPMENT be pleased to state:

(a) whether Government's attention has  
been drawn to a report published in the  
'Indian Express' of 4th January, 1994  
under the caption, 'Rich Rewards';

(if) if so, what are the details in this  
regard; and

(c) under what circumstances and for what  
reasons D-II type flat at Pan-dara Road, New  
Delhi was delinked from the pool of MP's  
houses and the details of flat which  
was included in M.P's pool quota?

THE MINISTER OF STATE IN THE  
MINISTRY OF URBAN DEVELOPMENT  
(SHRI P. K. THUN-GON): (a) Yes, Sir,

(b) and (c) As the Indian Express report is  
not specific regarding the name of the  
officer or the house or flat in question  
Government is not in a position to furnish  
any details.

**Supply of drinking water in Delhi  
Doordarshan Kendra**

7247. SHRI VIREN J. SHAH;  
SHRI PRAMOD MAHAJAN:

Will the Minister of URBAN DE-  
VELOPMENT be pleased to state:

(a) whether a number of persons  
working at Delhi Doordarshan Kendra have  
fallen sick after drinking contaminated water  
coming from the water tank installed in the  
building;

(b) whether it is also a fact that about a  
month back also several persons working in  
this Kendra had  
been affected with diarrhoea;

(c) if so, what are the details thereof and  
causes of contamination of water in respect of  
both these cases;

(d) whether any inquiry has been  
conducted in these incidents;

(e) if so, with what outcome;

(f) whether it is also a fact that  
the persons working in the Kendra  
being scared have stopped consum-  
ing water coming from the said tank;  
and

(g) what remedial steps have been  
taken to ensure availability of fresh  
and uncontaminated water for the  
persons working in the Kendra and  
other places in Delhi?

THE MINISTER OF STATE IN THE  
MINISTRY OF URBAN DEVELOPMENT  
(SHRI P. K. THUN-GON): (a) and (b) As  
reported by New Delhi Municipal Committee  
no such information is available with them.