

potential, conwiucsal viability, capacity to meet milk requirement from a new outlet suitability of the premises where the container is to be ins»alled, availability of wide and proper approach road for plying of heavy duly milk tankers of the Dairy and traffic conditions hygienic condition of the place and its surroundings where the container is to be installed etc.

A Committee of officers examines any request/proposal for installation of an Insulated Container with relerence to the criteria menteoned and gives its recominerdations. Based on the recommendations a decision is taken about the installation of a container.

(b) Request for cosidering installation of Insulated Container can be made at the following address :—

General Manager,
Mother Dairy,
Patpatganj,
Delhi-110092.

Water connction to charitable Institution

1144. SHRI SYED SIBTEY RAZI :
Will the Minister of URBAN DEVELOPMENT be pleased to state :

(a) whether water connections are provided for philanthropic activities ;

(b) if so, the formalities required to be followed in Delhi and charges fixed for such connections;

(c) whether water connections are also provided to charitable institutions at some normal charges ;

(cl) if so, the details of these charges alongwith formalities in Delhi ;

(e) whether some criteria to charge consumption charges from charitable and Philanthropic institutions also exist ; and

(0 if so, the details thereof and if the reasons therefor ?

THE MINISTER OF URBAN DEVELOPMENT (SHRI MURASOLI MARRAN) : (a) Yes, Sir.

(b) Same as in other cases of new connections.

(c) to (f) Delhi Water Supply and Sewage Disposal Undertaking has reported that a fixed charge of Rs. 7.50 per month per connection is payable in respect of Institutions like Andhvi-dyalayas, Cremation ground, religious places, poor home for destitutes/invalids

etc. run on charity and public piaos For orphanages, the entire consumption is catriable at the rate of 0.35 pais: per Kl. per connection per month.

Transfer of Drilling Machines to Madhya Pradesh

1145. SHRI AJIT P.K. JOGI: Will the Minister Of AGRICULTURE be pleased to state:

(a) Whether it is a fact that Madhya Pradesh Government has requested the Central Government to transfer certai drilling machines, Hydro-fractoring unit and perforator instruments, from othe States to the State so as to meet the unprecedented drinking water crises is the State: and

(b) if so, what is Governments res ponset therefo?

THE MINISTER. OF STATE IN THE DEPARTMENT OF RURAL DE VELOPMENT IN THE MINISTRY OF AGRICULTURE (SHRI UPENDR/s NATH VERMA): (a) Yes, Sir.

(b) This is the peak season for drilling of bore wells in most of the States like Rajasthan, Gujarat etc. which have drinking water,supply problem of their own. State Government has been advisee to contact the other States directly The Central Ground Water Board has however, agreed to divert two DTH and one rotary for carry riging out the drill ing? progrmme in Madhya Pradesh on payment of cost. The State Govern

हस्तचाहित पंप योजना के लिए लागू सीमा

1146. श्री अजीत जोशी : क्या कृषि मंत्री यह बताने की कृपा करें कि :

(क) क्या यह सच है कि हस्त चाहित पम्प योजना के लिए अधिकतम लागत सीमा 18000 रुपये निर्धारित की गई है, जो अप्रयुक्त है;

(ख) क्या मध्य प्रदेश जैसे राज्य के लिए, जहाँ पठारी भूमि तथा अग्रम वन्द क्षेत्र है इस लागत सीमा को कम से कम 25000 रुपये तक बढ़ाया जा सकता है? (ग) क्या सरकार को पता है कि कृषि मंत्री ने कहा है कि हस्त चाहित पम्प योजना के लिए अधिकतम लागत सीमा 18000 रुपये निर्धारित की गई है, जो अप्रयुक्त है; (घ) क्या मध्य प्रदेश जैसे राज्य के लिए, जहाँ पठारी भूमि तथा अग्रम वन्द क्षेत्र है इस लागत सीमा को कम से कम 25000 रुपये तक बढ़ाया जा सकता है? (ङ) क्या सरकार को पता है कि कृषि मंत्री ने कहा है कि हस्त चाहित पम्प योजना के लिए अधिकतम लागत सीमा 18000 रुपये निर्धारित की गई है, जो अप्रयुक्त है;

ment has also been advised to use 70 - 80 drilling rigs available with the irrigation agencies for its emergent drinking water programme.