SI.No.	Name of City	SI.No.	Name of City	SI.No.	Name of Ci
79.	Jalpaiguri	90.	Jharsuguda	101.	Patna
30.	Raniganj	91.	Khurda	102.	Saharsa
81.	Ranchi	92.	Berhampur	103.	Bhagalpur
32.	Dhanbad	93.	Bolangir	104.	Gaya
83.	Jamshedpur	94.	Anugul	105.	Hajipur
34.	Guwahati	95.	Talcher	106.	Katihar
35.	Kolkata	96.	Kania	107.	Muzaffarpu
36.	Bhubaneshwar	97.	Bhawani Patna	108.	Motihari
87.	Puri	98.	Dhenkand	109.	Munger
38.	Cuttack	99.	Parala Khambi	110.	Darbhanga
89.	Sambalpur	100.	Somecur	111.	Supaul

Wi-fi Facilities

3531. SHRI SHANTARAM LAXMAN NAIK: Will the Minister of COMMUNICATIONS AND INFORMATION TECHNOLOGY be pleased to state:

- (a) whether Wi-fi- internet facility has been provided in the State of Goa;
- (b) if so, the names of towns, villages this facility has been made available;
- (c) whether it is a fact that presently subscribers have to install modern for availing the facility;
  - (d) whether there are any plans of upgrading the facility;
  - (e) the total cost incurred in getting the present wi-fi facility installed; and
  - (f) the proposed future plans for expansion?

THE MINISTER OF STATE IN THE MINISTRY OF COMMUNICATIONS AND INFORMATION TECHNOLOGY (SHRI GURUDAS KAMAT): (a) and (b) Internet Boradband Services (including Wi-Fi Internet facility) are being provided by the licenses services providers in their respective service areas including the State of Goa. Names of towns and villages, where Wi-Fi Internet facility is available, is not being maintained presently.

(c) Wi-Fi Internet services are provided through Access Points using Wi-Fi router as per the requirement under the declicensed frequency Band. Acess Points can be accessed *via* Wi-Fi enabled port of the user terminal equipment like Computer, mobile phone etc. However, if the Wi-Fi internet facility is to be availed using the wired line Internet connectivity, a Wi-Fi router is required to be installed to work as Access Point.

(d) to (f) Service providers are expanding and upgrading the Internet Services (including Wi-Fi internet facility) on continuous basis based on the demand of the customers.

Tariff for Internet Services (including Wi-Fi internet facility) is under forbearance. Cost of provisioning of Wi-Fi internet services varies as per the usage tariff plan of different service providers.

## Protection of historical monumnets in Orissa

## 3532. SHRIMATI RENUBALA PRADHAN: Will the PRIME MINISTER be pleased to state:

- (a) how much funds have been given for protection of the historical monuments at Jaugada, Ashokan rock edict, Brudhakhola/Biranchi Narayan Sun Temple in Ganjam District of Orissa in the last three years by the Centre;
  - (b) the works that have been done in these sites;
- (c) whether Government has received any proposal from the State Government to take up the protection of any other new sites; and
- (d) if so, the detailed lists thereof alongwith the proposal for the Central Government contemplates?

THE MINISTER OF STATE IN THE MINISTRY OF PLANNING AND THE MINISTER OF STATE IN THE MINISTRY OF PARLIAMENTARY AFFAIRS (SHRI V. NARAYANSAMY): (a) The details of funds utilized in the last three years for the conservation of centrally protected monuments at Jaugada, Ashokan rock edict and Group of Temples at Brudhakhla are as under:

(Amount in Rs.)

Name of Monument	Funds allocated/Expenditure incurred			
	2006-07	2007-08	2008-09	
Ashokan, Rock-Edict, Jaugada, Distt. Ganjam, Orissa	4,26,424	=	1,80,255	
Group of Temples at Brudhakhla, Distt. Ganjam, Orissa	120	5,400	1,16,000	

The Biranchi Narayan Sun Temple is not a protected monument of Archaeological Survey of India.

- (b) The works executed comprise of structural repairs to the monuments as well as routine maintenance and upkeep of the sites.
- (c) and (d) Yes, Sir. The State Government of Orissa has requested for central protection of seven monuments which at present are under State protection. The list of these monuments is enclosed as Statement (See below).

Out of these, two monuments *i.e.* Biranchi Narayana Temple at Buguda and Group of Temples at Ranipurjharial, Distt. Bolangir have been recommended for Central Protection in the first phase.