

Point No.	Item	Unit	1982-83		1983-84		1984-85 (Targets)
			Target	Achievement	Target	Achievement	
8	Rural Water Supply	No. of villages	42342	54526	48846	55588	41530
9	(a) House sites	Lakh Nos.	10.43	10.07	8.74	11.78	7.98
	(b) Construction Assistance	Do.	7.39	3.77	5.56	3.64	4.73
10	(a) Slum Improvement	Lakh persons	18.40	17.17	21.20	23.46	18.30
10	(b) EWS House	No. 000'	186.0	145.0	404.7	148.2	167.8
11	(a) Villages Electrification	Nos.	25000	23572	23631	23743	23195
11	(b) Pump Sets Energisation	Lakh Nos.	4.30	3.02	3.68	3.37	3.86
12	(a) Tree Plantation	No. crores	295.54	211.71	225.00	242.33	250.97
	(b) Biogas Plants	Nos.	75000	57800	75000	92590	152410
13	Sterilisation	Lakh Nos.	45.00	39.81	58.12	43.71	58.75
14	(a) P.H.Gs. to be sanctioned	Nos.	209	188	405	1231	192
14	(b) Sub-Centres	Nos.	7931	7668	9010	6634	9071
15	I.C.D.S. Blocks	Nos.	320	320	200	200	185
16	(a) Elementary Education Enrolment	Nos. 000'	4092	4070	4702	4145	5029
16	(b) Adult Literacy	Nos. '000	4500	4027	5157	5042	6155

Sixth Five-Year Plan Targets for Delhi

1752. SHRI VISHWA BANDHU GUPTA:

SHRI R. K. JAICHANDRA SINGH:

SHRI ANAND SHARMA:

Will the Minister of PLANNING be pleased to state:

(a) what were the targets fixed in the Sixth Five Year Plan in respect of electricity, housing, water, medical aid, education and transport in Delhi;

(b) in how many cases the targets have not been achieved; and

(c) how much amount has been spent under the aforesaid heads in the first four years of the Sixth Five Year Plan?

THE MINISTER OF PLANNING (SHRI P. C. SETHI): (a) and (b) The information is given in the attached statement.

(b) This information will be known only on completion of the Sixth Plan in March, 1985.

Statement

	Unit	1980-85 (Target)
(a) I. Electricity		
1. New consumer connections	Nos.	2,00,000
2. Energisation of tube-wells	"	2,500
3. Electrification of Harijan Basties	"	100
II. Housing		
(A) DELHI ADMINISTRATION		
1. Construction of staff quarters for employees of Delhi Administration.	Nos.	4,303
2. Construction of staff quarters for Police personnel.	"	2,708
3. Construction of office accommodation.	Sq. Metres.	75,240
4. Provision of housing loan under Middle Income Group, Low Income Group and Village Housing Scheme.	No. of beneficiaries.	3,125
5. House sites for landless Labourers	Nos.	7,500
(B) MUNICIPAL CORPORATION OF DELHI		
Construction of staff quarters for employees of the Municipal Corporation.	Nos.	1,030
(C) DELHI DEVELOPMENT AUTHORITY		
1. Construction of Slum tenements	Nos.	5,000
2. Construction of houses under Low Income Group and economically weaker sections.	"	2,930
III. Water Supply		
1. Augmentation of urban water supply	Million gallon daily.	219
2. Rural Water Supply	Villages to be covered.	222
IV. Medical		
(A) DELHI ADMINISTRATION		
1. Hospitals	Nos.	5
2. Hospital Beds	"	1,644
3. DISPENSARIES		
(a) New Allopathic Dispensaries	"	26
(b) Upgradation of Allopathic dispensaries	"	25
(c) Poly clinics.	"	11

	Unit	1980-885 (Target)
(B) MUNICIPAL CORPORATION OF DELHI		
1. Maternity Homes	Nos.	13
2. Beds in Maternity Home.	"	196
3. Dispensaries of Indian System of medicines	"	36
(C) NEW DELHI MUNICIPAL COMMITTEE		
Dispensaries of Indian System of medicines	"	6

V. Education**General Education**

(a) 1. Enrolment of students in I to V Class.	Lakhs	7.97
2. Enrolment of students in VI to VIII class	"	3.69
3. Enrolment of students in IX to XII Class.	"	3.39

(b) Adult Education

1. Number of beneficiaries	"	43,000
2. Centres of Adult Education	"	4,300

VI. Transport and Communications

Construction of Roads	Kms.	396
---------------------------------	------	-----

	Rs. crores
(C) Power	125.96
Housing	65.67
Water Supply	78.85
Medical	44.52
Education	89.25
Transport & Communication	118.78

TOTAL : 523.03

Conversion of Proto Type Reactor into Doughlas Type Units of RAPP

1753. SHRI BHUVNESH CHATURVEDI: Will the PRIME MINISTER be pleased to state:

(a) whether it is possible to convert two proto type reactors at the Rajasthan Atomic Power Project into 1020 RS-5.

Doughlas type commercial units to avoid frequent shutting down of the units and improve their performance; and

(b) whether technical know-how for this purpose is available and what is the estimated expenditure for such conversion?