

The G B Pant Hospital mainly provides facilities for specialised services in Cardiology and Neurology. In view of the over-crowding in the Irwin Hospital however it is proposed to transfer cases of Gastro-enterology and Haematology also from the Irwin Hospital to G B Pant Hospital to relieve over-crowding in the former.

(d) and (e) No Sir, Junior Staff for this is already in position. Some of the consultants have been selected and are expected to join shortly. Pool officers and senior specialists of the Irwin Hospital have been assisting in the meanwhile.

#### दिल्ली का बिजली की सप्लाई का खतरा

५७४ श्री राम सहाय क्या सिवाई तथा विद्युत मंत्री यह बताने की कृपा करेंगे कि

(क) क्या नागल के ट्रांसमिशन पावर की टावर की बुनियाद में कमजोरी के कारण दिल्ली में बिजली की सप्लाई में कोई खतरा है, और

(ख) क्या इस बुनियाद को ठीक किया जा सकता है अथवा कोई और प्रबन्ध किया गया है ?

†[DANGER TO POWER SUPPLY IN DELHI]

574 SHRI RAM SAHAI Will the Minister of IRRIGATION AND POWER be pleased to state

(a) whether there is any danger to the supply of power in Delhi on account of the weakness in the foundation of the transmission power tower at Nangal, and

(b) whether this foundation can be repaired or some other arrangements have been made?

सिवाई तथा विद्युत मंत्री (डा० के० एल० राव) (क) जो नहीं।

(ख) पंजाब राज्य बिजली बोर्ड ने नागल-दिल्ली २२० के०वी० लाइन के पारेषण खम्भ न० ९६५ के आधार को दृढ़ करने के लिए कार्य हाथ में ल लिया है ताकि बाढ़ द्वारा होने वाले आधार के कटाव के सारे सम्भव खतरे दूर हो जाए।

†[THE MINISTER OF IRRIGATION AND POWER (DR K L RAO) (a) No

(b) The Punjab State Electricity Board have already taken steps to reinforce the foundation of transmission tower No. 965 of the Nangal-Delhi 220 kv line so as to eliminate all possible danger of scouring of the foundation by flood waters]

575 [Transferred to the 28th September, 1964]

#### UTILISATION OF ELECTRIC POWER FOR AGRICULTURE

576 SHRI M C SHAH Will the Minister of IRRIGATION AND POWER be pleased to state the quantity of electric power utilised in various States for agricultural purposes during 1961-62 1962-63 and 1963-64?

THE MINISTER OF IRRIGATION AND POWER (DR K L RAO) A statement containing the requisite information is enclosed [See Appendix XLIX, Annexure No 36]

#### HARANGI IRRIGATION SCHEME IN MYSORE STATE

577 SHRI C M POONACHA Will the Minister of IRRIGATION AND POWER be pleased to state

(a) whether technical sanction has been accorded by the Central Gov-

ernment for taking up the construction of the Harangi Dam in Mysore State,

(b) the height of the Dam and the area that would be submerged, and

(c) the area that would be irrigated (i) in Coorg District; and (ii) in Mysore and Hassan Districts?

THE MINISTER OF IRRIGATION AND POWER (DR. K. L. RAO) (a) No.

(b) and (c). These details would be known after the project report is finalised

LOAN TO MYSORE STATE UNDER THE LOW INCOME GROUP HOUSING SCHEME

578 SHRI SHERKHAN Will the Minister of WORKS AND HOUSING be pleased to state the amount of loan sanctioned to Mysore State under the Low Income Group Housing Scheme during the last 5 years?

THE MINISTER OF WORKS AND HOUSING (SHRI MEHR CHAND KHANNA). Rs 190.29 lakhs

†NATIONAL CONSUMER SERVICE

338 SHRI N. SRI RAMA REDDY. Will the Minister of PLANNING be pleased to state:

(a) whether Government propose to organise a National Consumer Service in the country; and

(b) if so, what will be the main objects of this organisation?

THE MINISTER OF PLANNING (SHRI B. R. BHAGAT): (a) No, Sir. Financial assistance, however is being given to the National Consumer Service of the voluntary organisations

(b) The object of the voluntary Service is to protect the interest of the consumer. Its main activities are:

(i) to organise Consumers Councils at the national, State and district levels,

(ii) to promote consumer co-operatives;

(iii) to undertake research into consumer problems and studies relating to market intelligence, consumption patterns, hoarding, artificial scarcities, transport bottlenecks, licensing procedures, etc and

(iv) to assist in the prevention of adulteration, exercising quality control and eradication of mal-practices in weights and measures etc.

†CONSTRUCTION OF THE CULVERT ON MATHURA ROAD IN DELHI

341 SHRI RAMGOPAL GUPTA Will the Minister of HEALTH be pleased to state.

(a) since when the culvert on Mathura Road near Nizamuddin in Delhi is under construction,

(b) what was the original estimate of the cost of construction and the completion period in respect of this culvert and what is the revised estimate; and

(c) by when the culvert is likely to be completed?

THE MINISTER OF HEALTH (DR. SUSHILA NAYAR): (a) The work for the re-construction of bridge on Delhi-Mathura road over the Barapulla Nallah was awarded by the Corporation to the contractor on 30th April, 1962 and was required to be completed in 12 months. Various factors such as (i) arranging of diversion for D.T.U. Bus traffic (ii) shifting of service lines like coaxial telephone cables, filtered and unfiltered water mains before the demolition of the existing bridge (iii) demolition and removal of a mass concrete apron running throughout the entire length of the old bridge at about a depth of