

Railway	Station	Route mileage	Date of first opening for public service
Eastern	(i) Howrah-Sheoraphuli	10	1-12-57
	(ii) Sheoraphuli-Bandel	14	13-12-57
	(iii) Sheoraphuli-Tarakeshwar	22	30-3-58
	(iv) Bandel-Memari	26	24-7-58
	(v) Memari-Burdwan	16	15-8-58
	TOTAL	328	

TRAINING OF WORKERS IN RURAL HOUSING AND ROAD CONSTRUCTION

•544 J. RAMAKRISHNA
 TS. DEOKINANDAN NARAYAN • 1 SHRI N. IYER:

Will the Minister of COMMUNITY DEVELOPMENT AND CO-OPERATION be pleased to state whether Government propose to open training centres in different parts of the country to train workers in rural housing and cheap road construction? If so, will he please state where these centres are going to be opened and at what cost?

THE DEPUTY MINISTER OF COMMUNITY DEVELOPMENT AND CO-OPERATION (SHRI B. S. MURTHY): The Ministry of Community Development have no scheme to open training centres for imparting training to workers in rural housing and cheap road construction. The Ministry of Works Housing and Supply have, however, drawn up a scheme to set up six centres in six Engineering Institutions for undertaking work on rural housing relating to research, training and extension. It is estimated that a sum of Rs. 4" 5 lakhs would be required for the establishment of these centres, including running costs for the first year.

PROFITS MADE BY SUGAR MILLS

•545. SHRI DEOKINANDAN NARAYAN: Will the Minister of FOOD AND AGRICULTURE be pleased to state the total amount of profits made by the sugar mills during 1957-58 and 1958-59?

THE MINISTER OF FOOD AND AGRICULTURE (SHRI A. P. JAIN): The required information is not available.

FLOOD PROTECTION SCHEMES TO FIGHT TIDAL FLOODS IN ORISSA

•546. SHRI MAHESWAR NAIK: Will the Minister of IRRIGATION AND POWER be pleased to state:

(a) whether the Government of Orissa submitted to the Central Government for examination certain flood protection schemes to fight tidal floods in the coastal districts of Orissa; and

(b) if so, what action has been taken by the Central Government in this regard?

THE DEPUTY MINISTER OF IRRIGATION AND POWER (SHRI J. S. L. HATHI):

(a) No, Sir.

(b) Does not arise.

ELECTRICITY REQUIREMENT IN DELHI

*547. SHRI MAHESWAR NAIK: Will the Minister of IRRIGATION AND POWER be pleased to state:

(a) what is the total normal requirement of electricity for Delhi, both for industrial and domestic purposes;

(b) whether the existing generating stations are fully equipped to supply the entire requirement; and

(c) whether any extra provisions are now being made to prevent frequent breakdowns due to increased loads during summer months; and if so, what?