

श्रम उपमंत्री (श्री अबिद अली) :
(क) इस दौरान में ६४,५०० नये कर्म-
चारी बीमा योजना में शामिल किये गये ।

(ख) योजना को मजदूरों में प्रिय बनाने
के लिये कारपोरेशन के अफसरों के भाषण,
रेडियो, इस्तिहार, सूचना-पत्र, फिल्म और
स्लाइडों के जरिये प्रचार किया जाता
है ।

t[THE DEPUTY MINISTER OF LABOUR
(SHRI ABID ALI): (a) 64,500 were newly
covered during this period.

(b) Different audio-visual methods of
educative propaganda such as talks by
Corporation officials to workers, radio talks,
distribution of posters and handbills, and
exhibition of cinema films and slides
explaining the scheme, are adopted.]

MR. CHAIRMAN: Question hour over.

WRITTEN ANSWERS TO QUESTIONS

MULTI-STOREYED BUILDING

•251. SHRI T. S. AVINASHILIN-GAM
CHETTIAR: Will the Minister of WORKS,
HOUSING AND SUPPLY be pleased to state:

(a) the names of the persons who drew
the plans for the multi-storeyed building of
the Ministry of Food and Agriculture and who
were the engineers who supervised the con-
struction work of the building; and

(b) whether it was foreseen when walls
were constructed below the road level that
embankments should be provided to prevent
water from coming into the walls?

THE DEPUTY MINISTER OF WORKS,
HOUSING AND SUPPLY (SHRI ANIL K.
CHANDA) : (a) A large number of officers
from Chief Engineer down to Sub-Divisional
Officers were concerned with the planning
and supervision of construction work of

t[] English translation.

the building at various stages from 1952 to
1957.

(b) For the draining of rain-water from the
open courts below the ground level, where
garages have been provided, pumping units
had been installed. These units are adequate to
cope with water accumulation, if any, as a
result of normal rains. No embankment was,
therefore, considered necessary. The flooding
of the basement of the Krishi Bhavan was the
direct result of the unprecedented and
unexpected heavy rain "on July 20-21,
concentrated over a brief period. This led to
large scale overflowing of drains in the
surrounding areas and accumulation in the
basement from water pouring in from outside.
The existing pumping units were obviously
unable to cope with this large volume of water.

SETTING UP OF A TRAINING-cum-SERVICE INSTITUTE FOR SMALL SCALE INDUSTRIES WITH JAPANESE ASSISTANCE

*263. SHRI V. C. KESAVA RAO: Will the
Minister of COMMERCE AND INDUSTRY be
pleased to state:

(a) whether there is any proposal
under Government's consideration to
set up a Training-cum-Service Insti-
tute for Small Scale Industries with
Japanese assistance; and

(b) if so, where the Institute is to
be located?

THE MINISTER OF INDUSTRY (SHRI
MANUBHAI SHAH) : (a) Yes, Sir,

(b) Howrah (West Bengal).

१९५६ और १९५७ में कोयला खानों
में दुर्घटनाएँ

*२६६. मौलाना एम० फारूकी : क्या
श्रम तथा सेवा नियोजन मंत्री यह बताने की
कृपा करेंगे कि :

(क) कोयले की खानों में सन् १९५६
और १९५७ में कितनी-कितनी दुर्घटनाएँ
हुई और उनकी तफ़्सील क्या है ;