

भ्रम उपमंत्री (श्री आबिद अली) :

(क) इस दौरान में ६४,५०० नये कर्म-चारी बीमा योजना में शामिल किये गये ।

(ख) योजना को मजदूरों में प्रिय बनाने के लिये कारपोरेशन के अफसरों के भाषण, रेडियो, इस्तिहार, सूचना-पत्र, फिल्म और स्लाइडों के जरिये प्रचार किया जाता है ।

†[THE DEPUTY MINISTER OF LABOUR (SHRI ABD ALI): (a) 64,500 were newly covered during this period.

(b) Different audio-visual methods of educative propaganda such as talks by Corporation officials to workers, radio talks, distribution of posters and handbills, and exhibition of cinema films and slides explaining the scheme, are adopted.]

MR. CHAIRMAN: Question hour over.

WRITTEN ANSWERS TO QUESTIONS

MULTI-STOREYED BUILDING

*251. SHRI T. S. AVINASHILIN-GAM CHETTIAR: Will the Minister of WORKS, HOUSING AND SUPPLY be pleased to state:

(a) the names of the persons who drew the plans for the multi-storeyed building of the Ministry of Food and Agriculture and who were the engineers who supervised the construction work of the building; and

(b) whether it was foreseen when walls were constructed below the road level that embankments should be provided to prevent water from coming into the walls?

THE DEPUTY MINISTER OF WORKS, HOUSING AND SUPPLY (SHRI ANIL K. CHANDA): (a) A large number of officers from Chief Engineer down to Sub-Divisional Officers were concerned with the planning and supervision of construction work of

†[] English translation.

the building at various stages from 1952 to 1957.

(b) For the draining of rain-water from the open courts below the ground level, where garages have been provided, pumping units had been installed. These units are adequate to cope with water accumulation, if any, as a result of normal rains. No embankment was, therefore, considered necessary. The flooding of the basement of the Krishi Bhavan was the direct result of the unprecedented and unexpected heavy rain on July 20-21, concentrated over a brief period. This led to large scale overflowing of drains in the surrounding areas and accumulation in the basement from water pouring in from outside. The existing pumping units were obviously unable to cope with this large volume of water.

SETTING UP OF A TRAINING-cum-SERVICE INSTITUTE FOR SMALL SCALE INDUSTRIES WITH JAPANESE ASSISTANCE

*263. SHRI V. C. KESAVA RAO: Will the Minister of COMMERCE AND INDUSTRY be pleased to state:

(a) whether there is any proposal under Government's consideration to set up a Training-cum-Service Institute for Small Scale Industries with Japanese assistance; and

(b) if so, where the Institute is to be located?

THE MINISTER OF INDUSTRY (SHRI MANUBHAI SHAH): (a) Yes, Sir,

(b) Howrah (West Bengal).

१९५६ और १९५७ में कोयला खानों में दुर्घटनायें

*२६६. मौलाना एम० फारूकी : क्या भ्रम तथा सेवा नियोजन मंत्री यह बताने की कृपा करेंगे कि :

(क) कोयले की खानों में सन् १९५६ और १९५७ में कितनी-कितनी दुर्घटनायें हुई और उनकी तफसील क्या है ;