MR. CHAIRMAN: You please come to your seat. (*Interruptions*)... You speak from your seat. (*Interruptions*)...

SHRI MANI SHANKAR AIYAR: Sir, (*Interruptions*).... as the required environmental clearance has been obtained, why could not the pipeline be done? (*Interruptions*).... Sir, after the (*Interruptions*).... we started the process of.... (*Interruptions*)....

⁻ MR. CHAIRMAN: Q. No. 186. (Interruptions).... Mr. Ram Jethmalani.

*186. [The questioners (Dr. Murli Manohar Joshi and Shri Ram Jethmalani) were absent. For answer vide page 19.]

(Interruptions)... Q. No. 187. Mr. Dipankar Mukherjee. (Interruptions)...

Shutdown by LPG producing plants

*187. SHRI DIPANKAR MUKHERJEE:† SHRI CHITTABRATA MAJUMDAR:

Will the Minister of PETROLEUM AND NATURAL GAS be pleased to state:

(a) the details of unforeseen shutdowns in LPG producing plants in public and private sector refineries during last six months, monthwise;

(b) whether a planned shutdown for 45 days was resorted to by Jamnagar Refinery from 4th October, 2005;

(c) if so, its impact on LPG shortage in the country in domestic sector; and

(d) the reason, for permitting such planned shutdown during peak demand in festive season?

[†]The question was actually asked on the floor of the House by Shri Dipankar Mukherjee.

RAJYA SABHA [6 December, 2005]

THE MINISTER OF PETROLEUM AND NATURAL GAS (SHRI MANI SHANKAR AIYAR): (a) to (d) A Statement is laid on the Table of the House.

Statement

(a) Due to planned and unforeseen shutdowns by refineries, there has been a reduction in the actual production of LPG *vis-a-vis* production planned originally during the current year. The month-wise details of production of LPG for the period April-October, 2005 are given in the Statement-I (*See* below).

The details of shutdowns, planned and unforeseen, of various major units in public and private sector refineries during April-October, 2005 are given in Statement-II (See below).

(b) A planned shutdown for Reliance India Limited (RIL) Refinery at Jamnagar was taken with effect from 4th October, 2005. Production was restored on 1st December, 2005.

(c) As the Jamnagar Refinery accounts for about one-third of the domestic production of LPG, the Reliance shutdown made it necessary to effect imports at just the time the international market for LPG was severely hit by hurricanes like Katrina, Rita and Wilmar and ONGC gas production was temporarily affected by the BHN fire.

(d) While the planned shutdown of the refineries is essential for maintenance requirements and the safety of refinery units, and the permission of the Ministry of Petroleum and Natural Gas is not required for such shutdowns, it is a fact that the Reliance shutdown was initially planned for April-May, later changed to August-September and finally took place in October-November, 2005. Precisely because the shutdown was eventually scheduled for the festive season, the Ministry proactively interacted with Reliance to further postpone the shutdown. Reliance pleaded that for technical reasons, it was not possible for them to shift the shutdown till after the festive season. Repeated postponements and the decision to close down at the height of the festive season certainly complicated matters for the OMCs as Reliance accounts for nearly one-third of domestic LPG production.

£.
ς.
Φ
É
0
÷
6
.
S

Statement-I The month-wise details of production of LPG for the period April-October, 2005

(Figure in TMT)

			APK 05		REMARKS		MAY '05		REMARKS
	Production			333				283	
		EST	ACT	-/+		EST	ACT	++	
i	(a) Refineries								
	HPC, Mumbai	7.0	0.0	-7.0	Planned shutdown extended	16.0	2.9	-13.1	Planned shutdown extended
ci.	BPC, Mumbaí	30.0	31.6	1.6		30.0	32.3	2.3	
	KRL	8.0	17.7	9.7	Planned shutdown deferred	13.0	4.6	6 4	Planned shutdown
	CPCL	32.0	30.6	4.1-		36.0	28.6	-7.4	Power tripping
5.	HPC, Vizag	25.0	25.7	0.7		27.0	27.5	0.5	
Ø.	IOC, Haldia	5.0	4.5	ŝ		13.0	12.0	1.0	
7.	IOC, Koyali	14.0	15.7	1.7		13.0	14,4	4.	
. 00	IOC, Barauni	22.0	22.2	0.2		21.0	26.1	5.1	
. б	IOC, Mathura	21.0	18.5	-2.5	Unplanned shutdown	24.0	21.5	-2.5	Unplanned shutdown
0 .	IOC, Guwahati	4.0	3.1	6. 9		3.3	3.1	-0.2	
÷.	IOC, Digboi	0.9	6.0	0.0		1.0	1	0.2	
12	IOC, Cauvery	2.0	5	<u>.</u>		20	6 .0		
13.	Numaligarh	2.6	2.9	0.3		3.0	4.	-1.6	Unplanned shutdown
44.		4,4	3.8	9.9		4.0	4.6	0.6	
15.		23.0	20.7	-2.3	Unplanned shutdown	23.0	20.4	-2.6	Unplanned shutdown
16 .	IOC, Panipat	21.0	23.9	2.8		22.0	22.2	0.2	
17.		225.0	189.9	-35.1	Less prodn. over tabled nos.	232.0	203.7	-28.3	Less prodn. over tabled nos.
	(b) Fractionators								
1 8.	AOD, Oil	4.5	4.4	9		4.5	4.5	0.0	
10	ONGC, Ankleshwar	1.2	1.1	Ģ		<u>-</u>	-	<u> </u>	
20.	ONGC, Uran	25.0	35.2	10.2	Deferment of shutdown	42.0	31.8	-10.2	Shutdown
21.	ONGC, Hazira	51.0	49.6	4		52.0	47.5	5. 7	Less prodn. over tabled nos.
ŭ	GAIL, Vijaipur	39.0	34.6	4	Less prodn. over tabled nos.	37.0	38.5	1.5	
23.	GAIL, Gandhar	19.0	14.7	₩ †	Less prodn. over tabled nos.	22.0	23.2	1.2	
24.	GAIL, Vagodia	7.0	8.2	80. 9		6.0	6.6	0.6	
5 2	ONGC, Gandhar	4.4	3.3	÷		4	3.5	6.5	
5 8	GAIL, Ussar	7.8	3.2	4.6	Less avaitability of Gas	20	2.2	0.2	
27.	GAIL, Auriya	22.8	16.7	5.9 -	Unplanned shuldown	21.0	20.8	0.7	
28.	GAII' I skwa	30	1.9	9		00		80	

[6 December, 2005]

RAJYA SABHA

ÊI										•	~~				~~	5		•				ľ							• • •	<u>c</u> l	- -	רי
(Figure in TMT)	REMARKS					nooos Delaved start up after S/D		-		Delayed startup after S/D	Shutdown did not take place									Less prodn. over tabled nos.				Bombay High fire	Less prodn. over tabled nos.		Less prodn. over tabled nos.				Emergency planned shutdown	
	5 247	; +		0.1	-2.7	-12.5	- 5 0	-3.5	0.2	15.1	13.8	1.7	-1.0	0.0	6	4 .	<u>0</u>	1.8	-1.9	-22.6		-0.6	9	-6.2	6.6- 6.0	0.3	<u>6</u>	0.0	4.1-	0.0	-14.3	8.0
	JUL '05	ACT		16.1		29.8				22.9			2.4	1.0	1.6	4.6	4		20.1	207.4							•	6.0				1.2
		EST		16.0	30.0	42.3	35.0	21.0	15.0	38.0	8.0	24.0	3.4	1.0	2.0	5.0	4.0	23.0	22.0	230.0		4	10	42.0	52.0	37.0	22.0	6.0	4.0	2.0	21.0	2.0
	REMARKS			-6.0 Delay in Stabilisation after S/D		Planned shutdown										Unplanned shutdown		Unplanned shutdown		Less prodn. over tabled nos.		Unplanned shutdown		Unplanned shutdown	Less prodn. over tabled nos.						Less availability of gas	
	256			9.0	1.5	-36.5	4	а. 1	- 0.6	-3.1		0	1.8	0.0	1.0	-2.2	1.2	-3.8	2.4	42.1		-3.0	,	б .	ы. 1.	0.6	0	9	-1.1	4		9.2
	30, NUL	ACT	1	0.0	31.5	6.5	29.7	24.1	12.4	12.0	21.9	21.9	3.3	1.0	3.0	2.8	4.7	18.2	21.4	187.9		1,5	0.9	35.2	46.9	37.6	21.9	5.9	2.9	3.4	18.2	1.5
	_ ا	EST		15.0	30.0	43.0	34.0	21.0	13.0	15.0	23.0	22.0	1.5	1.0	2.0	5.0	3.5	22.0	19.0	230.0		4.5	10	40.0	50.0	37.0	22.0	6.0	4.0	2.0	21.0	2.0
VTS	Opening Stock Expected		(a) Refineries	HPC, Mumbai	BPC, Mumbai	KRL	CPCL	HPC, Vizag	IOC, Haldia	IOC, Koyali	IOC, Barauni	IOC, Mathura	IOC, Guwahati	IOC, Digboi	IOC, Cauvery	Numaligarh	BRPL	MRPL	IOC, Panipat	Reliance	(b) Fractionators	AOD, OII	ONGC, Ankleshwar	ONGC, Uran	ONGC, Hazira	GAIL, Vijaipur	GAIL, Gandhar	GAIL, Vagodia	ONGC, Gandhar	GAIL, Ussar	GAIL, Auriya	GAIL, Lakwa
PLANTS	S.			.	5	er,	4	Ċ	6.	7.	8	9.	10	1.	12.	13.	14.	15.	16.	17.		18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	58

			AUG'05		Remarks	S	SEP.'05		Remarks
SI.No.				51		ł	10.4	189	
	Production	ES!	ACI	-/+		EN	ACI	-/+	
	(a) Refineries,					}			
	HPC, Mumbai	16.0	11.9	4	Reduced prodin due to floods	15.0	18,9	3.9	
	BPC, Mumbai	30.0	25.8	4	Reduced prodn. due to floods	30.0	29.5	-0.5	
	KRL	43.3	30.6	-12.7	FCCU problem	42.6	30,3	-12.3 f	-12.3 FCCU problem
	CPCL	36.0	30.6	-5,4	Less prodn. over tabled nos	34.0	30.5	-3.5 1	Less prodn. over tabled nos.
	HPC, Vizag	21.0	10.5	-10.5	Unplanned shutdown	27.0	15.6		Unplanned shutdown
	IOC, Haldia	15.0	16.4	4		12.0	15.2		•
	IOC, Koyali	38.0	24.0	-14.0	Less pron. over tabled nos.	36.0	28.5	-7.5 [Less prodn. over tabled nos.
	IOC, Barauni	20.0	17.5	-2.6	Unplanned shutdown	22.0	23.2		
	IOC, Mathura	22.0	23.4	4.4		24.0	6.9		Emergency planned shutdown
<u>1</u> 0.	IOC, Guwahati	3,4	3.6	0.2		3.2	2.3	6.0	
	IOC, Digboi	1.0	0.6	4.0-		1.0	0.9	6	
	IOC, Cauvery	2.0	2.0	0.0		2.0	2.2	0.2	
	Numaligarh	5.0	4.9	0.1		2.0	4.4	0.4	
	BRPL	4.0	2.6	4,1-	Unplanned shutdown	5.0	4.6	4.0- 4	
	MRPL	23.0	21.2	-1.9	Unplanned shutdown	22.0	21.0	-1.0	
	IOC, Panipat	22.0	19.3	-2.7	Less prodn. over tabled nos.	20.0	18.5	-1.5	Less prodn. over tabled nos.
	Reliance	230.0	198.2	-31,8	Unplanned shutdown FCCU	200.0	170.0	-30.0	Unplanned shutdown FCCU
	(b) Fractionators								
	AOD, Oil	4,5	4.2	6 .0-	•	4.5	3.7	8. 9	
	ONGC, Ankleshwar	1.0	1.2	0.2		1.0	1.0	0.0	
	ONGC, Uran	42.0	31.6	-10.4	Bombay High fire	40.0	38.3	-1.7	
	ONGC, Hazira	52.0	48.2	-3.8	Less prodn. over tabled nos.	50.0	46.1	-3.9	Less prodn. over tabled nos.
	GAIL, Vijaiypur	37.0	31.0	-6.0	Unplanned shutdown	37.0	34.0		Less prodn. over tabled nos.
	GAIL, Gandhar	22.0	23.2	1.2		22.0	21.9	ę	
	GAIL, Vagodia	6.0	6.4	0.4		6.0	6.7	0.7	
25.	ONGC, Gandhar	4.0	3.0	-1.0		4.0	2.5	-1.5	
	GAIL, Ussar	2.0	0.5	-1.5	Less availablity of gas	2.0	5.1	3.1	
	GAIL, Auriya	21.0	19.5	-1.5		21.0	17.5	3.5	
. 00									

[6 December, 2005]

RAJYA SABHA

		OCT '05		Remarks
Opening Stock Expected production	EST	ACT	190 +/-	
	16.0	12.3	-3.7	Unplanned shutdown
	32.0	33.2	1.2	
	43.1	24.6	-18.5	Unplanned shutdown
	35.0	31.8	-3.2	Power tripping
	27.0	15.5	-11.5	Unplanned shutdown
	15.0	15.1	0.1	
	38.0	30.8	-7.2	Less prodn. over tabled nos.
	23.0	24.9	1.9	
	24.0	26.3	2.3	
OC, Guwahati	3.4	4.3	0.0	
	1.0	0.8	-0.2	
	2.0	2.0	0.0	
	5.0	4.4	9.0 <mark>-</mark>	
	4.0	4.2	0.2	
	23.0	20.6	-2.4	Unplanned shutodwn
	25.0	21.0	0. ¶	Less prodn. over tabled nos.
	134.0	48.7	-85.3	Planned shutdown
b) Fractionators				
	4.5	4.4	-0.2	
ONGC, Ankleshwar	1.0	0.8	-0.2	
	42.0	41.7	-0.3	
ONGC, Hazira	47.0	49.6	2.6	
GAIL, Vijaipur	37.0	35.7	-1.3	
GAIL, Gandhar	22.0	16.1	-5.9	Shutdown
GAIL. Vagodia	6.0	6.8	0.8	
ONGC, Gandhar	4.0	2.6	-1.4	Less production due to fire
	2.0	7.5	5.5	
	21.0	18.9	-2.1	Less availability of gas
	20	1.7	-0.3	

RAJYA SABHA

[6 December. 2005]

	Shutdown details of LPG producing units for the period Apr-Oct., 2005				I I			5		•				
Units	HPC- HPC- Mumbei Visaki	HPC- Visakh BP	C KR	HPC. HPC. Mumbai Visakh BPC KRL NRL IOC IOC- IOC- IOC- IOC- KOY MAT PAN HAL BAR GUW	l õ.¥	LIDC IDC- IDC- IDC- IDC- IDC- KOY MAT PAN HAL BAR GUW	₿Ā	BAR 00 R	S S S S S	IOC-CPCL-CPCL- ONGC-ONGC- Dig Manali CBR BRPL Tatipa MRPL	Ba Cr	RPL Tai	ONGC-ONGC- Tatipa MRPL	堀
UNIT SHUTDOWN (DAYS)	(DAYS)													
CRUDE UNIT	59.6	48.4 156	1.0 41.7	59.6 48.4 156.0 41.7 15.0 4.6 22.6 0.7 24.1 109.2 50.2	สี่	3 0.7	24.1	109.2	50.2	2.7		5.4	11.0	21.0
CRUDE UNIT	43.3	37.5	31.7	3.5		5.7 0.7	15.7	15.7 20.3		1.8		9.5		
CRUDE UNIT-III				27.0	6					5.8				
CRUDE UNIT-IV				126.9	œ,									
CRUDE UNIT-V				41.2	~									
CATALYTIC	90.8	46.6	82.9	97.6	8 35.0	0	29.9	29.9 44.4		6.0				31.0
CATALYIC CRACKING -II	NG -I	4.46												
HYDROCRACKER-I	-		28.0	28.0 72.526.8	8.9.5	۰¢				7.0			6.0	
HYDROCRACKER-II	Ŧ												24.0	
COKER-I								138.2				45.4		16.0
COKER-II							49.1					24.5		
VIS.BREAKER			214.0		13.4 35.7	~	19.4			56.5			30.0	

[6 December, 2005]

RAJYA SABHA

श्री दीपांकर मुखर्जी: हिन्दुस्तान की जनता को एल.पी.जी को लेकर बड़ी तकलीफ है ...(व्यवधान)... ऐसी हालत में ...(व्यवधान)... सभापति जी ...(व्यवधान)... Sir, on this day when the Babri Masjid was destroyed ...(Interruptions)... Sir, on this day when the Babri Masjid was destroyed, on the same day, when the Constitutional system was subverted by the same set of people ...(Interruptions)... I cannot ask a question on a public issue ...(Interruptions)...

MR. CHAIRMAN: No. ...(Interruptions)... you only put the question. ...(Interruptions)...

श्री दीपांकर मुखर्जी: हां, सर, क्वेश्चन है ...(व्यवधान)... क्वेश्चन नं. 187 ...(व्यवधान)... (व्यवधान)... मैं मंत्री जी से पूछना चाहता हूं कि एल॰ पी॰ जी॰ की शॉर्टेज के बारे में अभी आप क्या-क्या और स्टेप ...(व्यवधान)... करने वाले हैं? ...(व्यवधान)... आप एल॰ पी॰ जी॰ समझते हैं ...(व्यवधान)... एल.पी.जी. गैस ...(व्यवधान)... गैस ...(व्यवधान)... या बाबरी मस्जिद समझते हैं ...(व्यवधान)... एल.पी.जी. ...(व्यवधान)... एल॰ पी॰ जी॰ ...(व्यवधान)...

श्री सभापति: आप क्वेश्चन के बारे में बोलिए, क्वेश्चन के बारे में ...(व्यवधान)...

SHRI DIPANKAR MUKHERJEE: Sir, please ask the schools not to send the children here (*Interruptions*)... Sir, please ask the schools not to send the children here. (*Interruptions*)...

श्री मणि शंकर अय्यर: सभापति जी, इसी हफ्ते ...(व्यवधान)... सर्वे में दिखाया था कि ...(व्यवधान)... एल.पी.जी. और केरोसीन पर एक ...(व्यवधान)... गैस ...(व्यवधान)... ले आएंगी और ...(व्यवधान)... इसका नोटिस ...(व्यवधान)... मिलने पर हम इन दोनों विषयों पर ...(व्यवधान)... इस पर ...(व्यवधान)... बहस करें ...(व्यवधान)... इसके लिए इंतजाम कर रखा ... (व्यवधान)... और मैं चाहता हूं कि इन चीजों को किया जाए ... (व्यवधान)... फिलहाल हमें जो बताया गया है ...(व्यवधान)... फिलहाल में मानता हूं कि एल.पी.जी. ...(व्यवधान)... बढी है ...(व्यवधान)... लेकिन इसका मूल कारण यह है कि 4 अक्टूबर से लेकर ...(व्यवधान)... इस महीने की शुरूआत में निजी क्षेत्र में जो रिफाइनरी है ... (व्यवधान)... जामनगर में ...(व्यवधान)... उसके ...(व्यवधान)... पड़ा है ...(व्यवधान)... और इसी कारण हमारा एक तिहाई घरेलू उत्पादन इसी ...(व्यवधान)...रिफाइनरी से आता है ...(व्यवधान)... यह लाजिमी है कि ...(व्यवधान)... जब वह बंद हआ ...(व्यवधान)... तब से कमी है ...(व्यवधान)... हमने इसका आयात करने का इंतजाम किया था ...(व्यवधान)... लेकिन जो हरिकेन रीटा, कैटरीना और विलमार अमरीका में हए ...(व्यवधान)... इसके कारण अंतर्राष्ट्रीय बाजार में एल.पी.जी. की अचानक किल्लत पैदा हुई है ...(व्यवधान)... इसलिए जिस पैमाने पर हम आयात करना चाहते थे, उसमें कुछ कमी रहीं। अक्टूबर-नवंबर में हमने तय किया कि हम यहां की inventory को कम करेंगे और बाद में जब आयात हो जाता है, तब inventory में जो कमी रहेगी, उसको हम बढ़ा देंगे ...(व्यवधान)... तो ऐस कदम हम उठा रहे हैं और मैं उम्मीद रखता हूं कि इनके माध्यम से जनता की जो पीड़ा है, वह कम होगी ...(व्यवधान)...

SHRI VAYALAR RAVI: Mr. Chairman, Sir, it is a very important question about shutdowns in ...(Interruptions)...I would like to know from the hon. Minister whether the shutdowns in LPG producing plants were done deliberately ...(Interruptions)... If so, what is the Government doing to protect the interests of the consumers? ...(Interruptions)...

SHRI MANI SHANKAR AIYAR: Sir, the hon. Member wants to know ...(Interruptions)... It is difficult to accept this allegation ...(Interruptions)... that it was done deliberately ...(Interruptions)... But the fact of the matter is when we were first intimated about the shutdowns, it was proposed much earlier in the year ...(Interruptions)... Subsequently, there were several ...(Interruptions)... Then we found that ...(Interruptions)... the shutdowns would take place. We had a discussion with the ...(Interruptions)... We did not expect that ...(Interruptions)... the shutdowns would take place at the height of the ...(Interruptions)... We attempted to persuade them the postpone the shutdowns. (Interruptions)... But they pleaded that for technical reasons it would become... (Interruptions).... the period for which the shutdown was initially indicated. Then it was extended to 60 days. I do apologise to the people for the shortage during the festive season...(Interruptions)...

श्रीमती वृंदा कारत: सभापति जी, Reliance के बचाव के लिए ये कह रहे हैं सर(व्यवधान)

MR. CHAIRMAN: Come to your question...(Interruptions)

श्रीमती वृंदा कारत: मेरा मंत्री महोदय से यह सवाल है कि इन्होंने अपने बयान में जो कहा है कि Reliance की तरफ से एक-तिहाई गैस सिलेंडर्स कम निकल रहे हैं ...(व्यवधान) जब इनको यह मालूम था तो इन्होंने ...(व्यवधान)... मंत्री जी इसका जवाब दें ...(व्यवधान)...

श्री मणि शंकर अय्यर: सभापति जी, हम तो कानून के अनुसार ही काम करते हैं और कानून में ऐसा कोई प्रावधान नहीं है कि जब तक एक निजी रिफाइनरी हमें यह न बताए कि हमको Shut-down करना है, तब तक हम उनको मजबूर नहीं कर सकते(व्यवधान) हां, हम यह कर सकते हैं कि उनसे सीधी बात कर सकते हैं, उनसे अनुरोध कर सकते हैं, उनको बता सकते हैं कि जनता की मुश्किलें क्या होती हैं, उनको समझा सकते हैं कि पूजा आने वाली है, इसके बाद दशहरा है, उसके बाद दीवाली अपने वाली है, फिर ईद आने वाली है, यह सब हमने उनको समझाया, लेकिन उन्होंने हमको बताया कि तकनीकी कारणों से उनको इस समय इस RAJYA SABHA [6 December, 2005]

रिफाइनरी को बंद करना पड़ रहा है ...(व्यवधान) तब हमने इसका आयात करना शुरू किया ...(व्यवधान) मुझे लगता है कि इन लोगों को जनता की पीड़ा की चिंता नहीं है ...(व्यवधान)

श्री सभापति: सदन की कार्यवाही 12 बजे तक के लिए स्थगित की जाती है।

The House then adjourned at twenty-six minutes past eleven of the clock.

The House reassembled at twelve of the clock,

Mr. Deputy Chairman in the Chair.

WRITTEN ANSWERS TO STARRED QUESTIONS

Plans for development of tourism

*181. SHRI T.T.V. DHINAKARAN: Will the Minister of TOURISM be pleased to state:

(a) whether it is a fact that perspective plans of 20 years for developing tourism in the States have been prepared;

(b) if so, the details and the target of these plans; and

(c) the details of plans envisaged in respect to Tamil Nadu?

THE MINISTER OF STATE OF THE MINISTRY OF TOURISM (SHRIMATI RENUKA CHOWDHURY): (a) Yes, Sir.

(b) The broad objectives of the perspective plans for the States were to:

(i) assess the existing tourism scenario in the States;

(ii) review the status of existing development/investment plans;

(iii) evaluate the existing potential tourist destinations;

(iv) develop sustainable tourism in a time period of 20 years;

- (v) identify the existing as well as new tourism projects that have potential for development;
- (vi) give plans with short term and long term targets;
- (vii) indicate the likely investment on infrastructure development under different heads; and